

EVERSOLO

Quick Start Guide

快速入门指南

Thank you for choosing the Eversolo EM-01 measurement microphone! This omnidirectional microphone is designed to work with Eversolo streamers for acoustic calibration in listening environments. It also supports various measurement software, Such as REW, DIRAC etc.making it suitable for speaker measurements and on-site acoustic environment assessments. Each EM-01 microphone includes a unique calibration file to ensure you obtain highly accurate measurement data. The EM-01 features a plug-and-play Type-C interface, supports UAC1.0 transmission protocol, and compatible with Windows, Android, iOS, and Mac operating systems.

Specifications

Type	6mm electret condenser
Body Material	Aluminum alloy
Total Length	155mm
Directivity	Omnidirectional
Frequency Response Range	20~20,000Hz \pm 1dB (with calibration file applied)
Sensitivity at 1kHz	-13 \pm 2.0 dBFS
Noise Level @+30dB IGPA	-84dBFS @ A-wt
Maximum Sound Pressure Level 1% THD@1kHz	130dBSPL
Sampling Rate	24bit ADC@48kHz
Power Supply	+5V USB power only
Weight	47g
Type-C Interface	UAC1.0 compatible with Windows, Mac, iOS, and Android systems
Accessories	Desktop tripod stand*1, Microphone holder*1, 3-meter Type-C to USB-A data cable*1, 1-meter Type-C to Type-C OTG data cable*1, Windscreen*1, User manual*1


* Scan the QR code on the packaging to get the calibration file.

感谢您选择Eversolo的EM-01测量麦克风!这款麦克风采用全指向的设计,可搭配Eversolo的数播一起使用,用于听音环境的声学校正,也可以支持多种测量软件,如REW、DIRAC等,用于扬声器的测量以及各种现场声学环境的测量。我们为测量麦克风提供唯一的校准文件,让你能更准确的获取测量数据。EM-01提供即插即用的Type-C接口,支持UAC1.0传输协议,可兼容Windows/安卓/iOS/Mac操作系统。

技术规格

类型	6mm驻极体
机身	铝合金
总长	155mm
指向性	全指向
频响范围	20~20,000Hz \pm 1dB (加载校准文件)
1kHz灵敏度	-13 \pm 2.0 dBFS
噪声水平 @+30dB IGPA	-84dBFS @ A-wt
最大声压级 1% THD@1kHz	130dB SPL
采样率	24bit ADC@48kHz
电源	仅限+5V USB供电
重量	47g
Type-C接口	UAC1.0 适用于Windows, Mac,iOS, Android
附件	桌面式三角支架*1、麦克风夹头*1、风球*1、使用手册*1、3米 Type-C转USB-A数据线*1、1米Type-C转Type-C OTG数据线*1

* 通过扫描包装上的二维码获取校准文件





Wechat Subscription
微信公众号

Please visit: www.eversolo.com for more resources.
更多资源下载请访问:www.eversolo.com